**Boston Children's Hospital** 

## How do I clean out my child's bowel?

Give your child:

Ex-Lax (senna 15 mg), which comes as a chocolate chewable.

\_\_\_\_\_ Dulcolax (bisacodyl 5 mg), which comes as a tablet. It must be swallowed whole.

- Friday evening dose (\_\_\_\_\_\_) before bedtime.
- Saturday evening dose (\_\_\_\_\_\_) before bedtime.
- Give for \_\_\_\_\_\_ weekends.

## Important tips

- The goal is for your child to have more than 1 bowel movement (poop). The poop may be loose at first.
- Do the clean out when your child is at home. Weekends or school vacations are the best times.

## What is my child's daily bowel management routine?

- Start Miralax. Give \_\_\_\_\_\_ every day. Measure Miralax powder using the cap on the bottle. The powder mixes into a drink. Mixing Miralax with water or juice is best.
- Mix Miralax in the suggested amount of fluid. Your child should drink this all in 1 sitting.
  - The goal is for your child to have at least 1 soft but formed poop (bowel movement) every day (type 4 or 5 by *The Bristol Stool Scale*) without any pain or hard pushing. Your child's doctor or nurse may change the amount of Miralax (Polyethylene Glycol 3350) as needed.
  - Please do not stop giving your child Miralax without talking with someone in our office first. Your child may need to take Miralax for several months.



This Family Education Sheet is available in Arabic, Portuguese and Spanish.